

## LinkBox DreamChip Edition features

### MINICAM FIELDBOX

- 1 SMPTE hybrid Cable connector LEMO 3K®
- 2 Channel Video HD-SDI-12G / 3G (1 bi-directional)
  - 2 channel loop out
- 1 Port Ethernet RJ45 10/100
- 2 Multi-Purpose Port
  - HR7-10R-6S plugs
  - RS485 & Power supply 12v
- 1 Optical Fiber Link spare channel
- Output 110-220VAC
  - Chassis Female 3PIN AC IEC C13 Socket Plug 100W
- Input 110-220VAC local or from CCU
  - Chassis Male 3PIN AC IEC C14 Socket



HPRC 2500 FIELDBOX external dimension 48x39x20cm



### MINICAM CCU



- 1 SMPTE hybrid Cable connector LEMO 3K®
- 2 Port Ethernet RJ45 10/100
- 1 Optical Fiber Link spare channel



- Input 110-220VAC
- Chassis rack dimension
  - Chassis Male 3PIN AC IEC C14 Socket Plug
  - 1.5U Rack mount




- Switch Led lit only when SMPTE connected to FieldBox  
(FieldBox ON Green; OFF Red)

**Power consumption reference value: 200w MAX**

(The values may vary depending on the length of the hybrid cable between the CCU and the FieldBox +1Km)

## Connection Diagram LinkBox DreamChip Edition





Ronin MiniJib Head



MiniCam Atom SSM500  
Up to 500 fps & Remote Iris



MiniCam AtomOne mini Zoom  
Smallest zoom / focus broadcast camera



AtomOne family  
MiniCam AtomOne mini / AIR /  
WaterProof / 4K 16 /



AtomOne Motor Drive



PTZ's cameras  
Large generic Robotic PTZ Camera



MiniCam's



FieldBox

LinkBox minicam's  
workflow



SMPTE Hybrid Cable  
Power and Fiber Lemo 3K connectors  
Up to 2Km



CCU

### Universal RCP



RCP 003



BR Remote



Skaarhoj



Cyanview


### Generic remote control




	<p><b>MiniCam Atom SSM500</b> Up to 500 fps &amp; Remote Iris</p>
	<p><b>Ronin MiniJib Head</b></p>
	<p><b>MiniCam AtomOne mini Zoom</b> Smallest zoom / focus broadcast camera</p>
	<p><b>AtomOne mini Waterproof</b> Smallest SDI broadcast waterproofed camera</p>
	<p><b>AtomOne &amp; AtomOne mini AIR</b> Smallest global shutter / (HDR) camera Smallest SDI broadcast camera</p>
	<p><b>MiniCam AtomOne 4K 16</b> Smallest UHD 1" Global shutter / (4K HDR) camera</p>
	<p><b>AtomONE Motor Drive supported</b> Atom One Mini / Atom One Mini Air / Atom One Mini WaterProof / Atom One Mini Global Shutter / Atom One 4K Mini 7 / Atom One 4K Mini 11 / Atom One 4K Mini 16</p>

**MiniCam Atom SSM500**


RCC- Remote clip




Jog-Dial controller



RCP003




**RCP003 back panel connections**



**RCP003 connector quick reference**

- In 1-5 GPI In - (Tally) DC 3V to 30V any polarity
- Out 1-5 GPI Out - Relay contact output Max 1A-30V

**Dimensions : 120x354x88-162mm**  
**Power consumption : 12V / 500mA**





---

[omnicam4sky.tv](http://omnicam4sky.tv)

Special Cameras

---

Estrada da Avessada, 1167m  
Varzea Park B, 2  
2665-290 Malveira  
Portugal  
+351 219 862 832  
[info@omnicam.pt](mailto:info@omnicam.pt)

---

 /omnicam4sky  @omnicam4sky



[www.atom-one.de](http://www.atom-one.de) | [info@atom-one.de](mailto:info@atom-one.de)