

omnicam4sky.tv

Special Cameras

## Camera crane Jimmy Jib

The camera crane **Jimmy Jib** is the most commonly used fixed length camera crane. It can be assembled at different lengths and is easily transported.

Facts. Max. Lens Height: 27'8" / 844cm

Max. Length: 39'7" / 1206.5cm

Total weight without camera: Max. 1322 lbs / 600 Kg(depending on set-up). Max. camera weight: 58.64 lbs / 26.60 Kg (depending on set-up).

Remote head: Stanton-Head, 3 axes: Pan, tilt and roll (Dutch roll 120 degrees).

Control of remote head: Joystick.

Dolly: Four-wheel steering,

Alternatively, tripod can be used.

Operating range: Approx. 13' x 13' / 4x4 mts (depending on set-up and swivel range).

Features: HD Monitors (broadcast reference monitor, camera preview monitor,

swivel monitors).

Red light tally on camera arm, on the swivel monitors

Power Consumption:: Approx. 500 W

Connectors. 2 cables with BNC plug: 1 for program image, 1 for camera preview.

1 cable with XLR plug: Intercom for listening & speaking, 1 for red light.

2 power cables: 1 x 220 V Schuko on the operating station with its own 16 A-fuse.

# Camera crane Jimmy Jib

### The views.


Max. Length from Dolly: 30'9" / 937.26cm Max. Lens Height: 23'3" / 708.66cm

Max. Length from Dolly: 24'9" / 754.38 Max. Lens Height: 27'9" / 845.82cm

Max. Length from Dolly: 19'0" / 579.12cm Max. Lens Height: 23'0" / 701.04cm

Max. Length from Dolly: 11'8" / 355.6cm Max. Lens Height: 16'4" / 497.84cm

Max. Length from Dolly: 5'8" / 172.72cm Max. Lens Height: 10'8" / 325.12



# Camera crane Jimmy Jib

The views.

Length and width including wheels: 4'1" / 124.46cm



Total height: 4'5" / 134.62cm

4 WHEEL DOLLY SYSTEM WITH FRAME & CRAB WHEELS

Length and width including wheels: 2'9" / 83.82cm



Total height: 5'4" / 162.56cm

3 WHEEL PRO CRAB DOLLY KIT W/STABILIZERS

# **C45**°

omnicam4sky.tv

Special Cameras

Estúdios Mediapro Portugal 2665-618 Venda do Pinheiro

